



## Skylands™ Concrete Deck Pavers









# Skylands™ Concrete Deck Pavers



Raise the status of your roof or patio area with Skylands™ Concrete Deck Pavers. Adjustable pedestals allow for easy installation and can turn pitched roofs into a flat usable surface. Skylands™ units are lighter than the industry average; the 24″x 24″x 2″ slabs are 24lbs/sq. ft. Building owners are turning to concrete deck pavers for enhancing previously unusable spaces because of their many advantages:

- Prevents water damage with open joints
- Lengthens roof membrane lifespan by stopping harmful UV rays
- Seamlessly integrates with green roof features
- Roof components below slabs are easily accessible



#### For on grade applications

\* Textured paver and patio stone surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Refer to County Materials' Interlocking Concrete Paver or Slab Installation Guidelines, or contact County Materials for information.

Product	Size D x H x L	SF/	Units/	SF/	Layers/	SF/	Units/	Units/	Lbs./
	(inches and mm)	Unit	SF	Layer	Pallet	Pallet	Layer	Pallet	Pallet
Skylands™ Concrete Deck Paver (24 x 24)	24 x 2 x 24 609 x 51 x 609	4	.25	8	10	80	2	20	1920





## Skylands™ Concrete Deck Paver

# **Color Options**


## Blended Colors



<sup>\*</sup> Also available in Rustic, Rough Estate, Rough Estate Brushed, Hammered, Hammered Rustic, Brushed, Hammered Brushed and Burnished.







### Skylands<sup>™</sup> Concrete Deck Pavers Installation Process




Determine pedestal height, layout and grid



Use level during installation process for precision

County Materials offers multiple pedestal sizes and models that can be purchased separately from the Skylands™ Concrete Deck Pavers. To learn more about the pedestals we offer, contact your County Materials' sales representative.



Lay pavers with 24" on center



Precise leveling using adjustment key



